

ADDENDUM NO. 1

Project Owner:	Traverse City Area Public Schools
Project Name:	TCAPS Innovation and Manufacturing Centers
Issue Date:	March 26, 2024

This Addendum No. 1 of the Technology Request for Bid for the above referenced project hereby amends, supplements and/or augments all prior issued document(s) as described herein, and becomes an inseparable part of the Contract Documents, superseding all previous, contrary and/or conflicting information.

AD1 - 1	Appendix C - Multimedia Line Diagram is hereby revised, reissued and attached hereto.
AD1 - 2	<p>Section 27 41 16- 70 - 2.06 - 2 is hereby revised as follows:</p> <ol style="list-style-type: none"> 2. One (1) 75" LED Monitor(s) shall be provided and installed. <ol style="list-style-type: none"> a. Acceptable Manufacturer(s) <ol style="list-style-type: none"> 1. NEWLINE <ul style="list-style-type: none"> A TT-7523NT-PLUS b. LED Monitor shall meet or exceed the following minimum requirements: <ol style="list-style-type: none"> 1. 75" diagonal 2. Brightness 400 cd/m 3. Rated for 24/7 run-time 4. 8ms refresh rate 5. 3840 x 2160 resolution 6. 16:9 aspect ratio



Bid ID: 3033	Communications by Design, Inc.
Addendum #1 Issued: April 9, 2024	Proprietary Information – All Rights Reserved

	<p>7. Three (3) HDMI input ports</p> <p>8. RS232C In/out</p> <p>c. Contractor shall supply and install appropriate articulating mount for supplied LED monitor(s). Mounts shall be Peerless SA771PU or Chief equivalent.</p>
<p>AD1 - 3</p>	<p>Section 28 20 00 - 112 - 2.08-A-1-o-6 is hereby revised as follows:</p> <p>6. Contractor shall supply and install manufacturer recommended pendant mount kit for a fully supported installation.</p>

END OF ADDENDUM NO. 1

Appendix C – AV Connection Line Diagrams

Configuration A – Conference Room



Appendix C – AV Connection Line Diagrams

