

ADDENDUM NO. 1

Project Owner:	Eastpointe Community Schools
Project Name:	District Security Renovations
Issue Date:	February 14, 2025

This Addendum No. 1 of the Technology Request for Bid for the above-referenced project hereby amends, supplements and/or augments all prior issued document(s) as described herein, and becomes an inseparable part of the Contract Documents, superseding all previous, contrary and/or conflicting information.

AD1 - 1	<p>Section 28 20 00.2.06.5 is hereby added as follows:</p> <ul style="list-style-type: none">5. Single Sensor- Exterior<ul style="list-style-type: none">a. Axis M3215-LVE or Avigilon/Hanwha Equal.b. Activity/motion detectionc. H.264 Compressiond. Motion JPEG Compressione. IEEE power over Ethernet 802.3at compliancef. Internal image memory for motion-based bufferingg. Cameras shall be installed in integrated, tamper and impact resistant, environmentally controlled dome enclosure meeting or exceeding the following requirements:<ul style="list-style-type: none">1. Optically correct acrylic or polycarbonate lower dome with integral UV protection.2. Impact resistant with capability to withstand repeated multiple blunt impact forces up to 100 foot-pounds.3. Camera shall include all necessary mounting hardware and accessories for a fully supported installation based on the indicated locations found in Appendix A.h. Contractor shall supply 15 spare dome covers for use at
----------------	--

	Owner's discretion.
--	---------------------

END OF ADDENDUM NO. 1